

**QS5 X**



Rev: 11/2024  
Valid:11/2025

## ORDER FORM

Errors and omissions excepted.

Billing Address Or Customer-ID				Shipping Address		Identical To Billing Address	
C.-ID:				C.-ID:			
Name:				Name:			
Street:				Street:			
Town/PC:				Town / PC:			
E-Mail:				E-Mail:			
Phone:				Phone:			
Order Information				User Weight			
Order	Calculation	Built-4-Me®		Max. user weight 140 kg			
Purchase Order No.:				Art. No.: 71200000 / 71200001 IC			
Reimbursement Code: xxx				User Weight:		kg	
Order Date:	Day	Month	Year	Base Price QS5 X		€ X.XXX,-	

**Client Measurements** all measurements without cushion

**Seat Width** measured from outside frame tube to outside frame tube

(mm)	340	360	380	400	420	440	460	480	500
	520	540							

**Seat Depth**

(mm)	340	360	380	400	420	440	460	480	500
------	-----	-----	-----	-----	-----	-----	-----	-----	-----

**Front Seat Height Selection** in dependence of front castors and frame versions

Fork Type (mm)	360	370	380	390	400	410	420	430	440	450	460	470	480	490	500	510	520	530	540
<b>4"</b>																			
Hemi Version (Alu 115/158 mm)							-			-	-	-	-	-	-	-	-	-	-
One arm fork (105 mm)	-	-	-	-	-	-					-	-	-	-	-	-	-	-	-
Aluminium (115 mm)	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-
Aluminium (131 mm)	-	-	-	-	-	-	-	-						-	-	-	-	-	-
Aluminium (158 mm)	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-
<b>5"</b>																			
Hemi Version (Alu 115/158mm)	-	-	-	-	-	-	-				-	-	-	-	-	-	-	-	-
Aluminium (115 mm)	-	-	-	-	-	-	-	-	-				-	-	-	-	-	-	-
One arm fork (105 mm)	-	-	-	-	-	-	-	-				-	-	-	-	-	-	-	-
Aluminium (131 mm)	-	-	-	-	-	-	-	-							-	-	-	-	-
Aluminium (158 mm)	-	-	-	-	-	-	-	-	-	-	-							-	-
<b>6"</b>																			
Hemi Version (Alu 115/158 mm)	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-
Aluminium (131 mm)	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-
Aluminium (158 mm)	-	-	-	-	-	-	-	-	-	-	-	-							-
<b>7"</b>																			
Aluminium (158 mm)	-	-	-	-	-	-	-	-	-	-	-	-	-						

Hemi version only with SA frame - upcharge for QSC080101 will apply.

**Rear Seat Height Selection** in dependence of rear wheel size

Rear seat height in mm	350	360	370	380	390	400	410	420	430	440	450	460	470	480	490	500	510	520
22"															-	-	-	-
24"	-	-															-	-
25"	-	-	-	-	-	-	-	-										-
26"	-	-	-	-	-	-	-	-	-	-								

The rear seat height can only be between 0 mm and 110 mm below the selected front seat height.

**Please follow this measuring method:**

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

**Seat width (SW):**

- a) For the user: Allow space between sideguard and hip on each side of the chair (approx. 10 - 20 mm altogether).
- b) On the wheelchair: From outside frame tube to outside frame tube.

**Seat depth (SD):**

- a) For the user: When sitting upright: leave space for 2 - 3 fingers between front edge of the seat upholstery and back of knee (approx. 30 - 60 mm). Care must be taken with adjustable upholstery.
- b) On the wheelchair: From back tube to front of seat upholstery.

**Front seat height:**

- a) For the user: When sitting with 90° kneeangle: From back of knee to bottom of shoe sole.
- b) On the wheelchair: From front edge of the seat-upholstry, next to the seat-tube to the ground (min. 30 mm longer than user measurement). Remember to include the cushion height.

**Rear seat height:**

On the wheelchair: From rear edge of the seat-upholstery, next to the seat-tube to the ground.

**Note:** Maximum seat height difference rear to front is 110 mm.

**Back height:**

- a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.
- b) On the wheelchair: From top of the seat-upholstery to upper edge of backrest upholstery.

**Note:** The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably.

**Back angle:**

Backrest-angle is measured in relation to the seat. 90°= perpendicular to the seat.

**Technical Data**

<b>Max. overall height:</b>	1020 mm	<b>Max. overall width with:</b>	<b>24" Rear wheel</b>	<b>25" Rear wheel</b>
<b>Max. overall length:</b>	1113 mm	For 0° camber:	SW + 180 mm	SW + 180 mm
<b>Max turning circle:</b>	1512 mm	For 2° camber:	SW + 230 mm	SW + 240 mm
<b>Overall weight:</b>	from 10,1 kg (SA); 9,9 kg (FF)	For 4° camber:	SW + 260 mm	SW + 270 mm
<b>Weight of heaviest detachable part:</b>	2,2 kg			
<b>Transport weight (without rear wheels):</b>	from 7,5 kg (SA); 7,3 kg (FF)			
<b>Max. safe slope (with wheels locked):</b>	10° (7°)			

Please note that options such as i.e. armrest-sideguards or drum brakes can increase the overall width of the wheelchair.

Please note that in certain configurations the wheelchair may exceed a width of 700 mm. If this is the case, under certain circumstances, it may not be possible to use some or all of the available escape routes from a building. It may be more difficult or impossible to travel on public transport.

This product has been crash-tested according to ISO 7176-19:2022 and is allowed as seat in a vehicle if the option QSC090102 is chosen.

**Manufacturing tolerances can be +/- 10 mm on all configurations**

## Seat Upholstery and Cushions

€

### Seat sling

QSC020014	Seat sling, nylon, 1 utility bag	–
QSC020000	Without seat sling	–

### Seat cushion, cover with zipper, black

QSC020101	Seat cushion, foam (medium-soft), cover with zipper, black, 30 mm	XXX,-
QSC020102	Seat cushion, foam (medium-soft), cover with zipper, black, 50 mm	XXX,-

### JAY Cushions – for complete product range see JAY order forms

JAY020002	JAY Basic	XXX,-
JAY020003	JAY Soft Combi P	XXX,-
JAY020001	JAY Easy Visco C	XXX,-
JAY020007	JAY Easy Fluid	XXX,-
JAY020004	JAY Lite	XXX,-

### Seat accessories

QSC090018	Lap belt with buckle, metal	XXX,-
-----------	-----------------------------	-------

## Backrest

€

Backrest height range		250 - 300	300 - 350	350 - 400	400 - 450	450 - 500	
Back height set at (mm)							
		250	300	350	400	450	
		275	325	375	425	475	
		300	350	400	450	500	
QSC030010	Backrest, fixed (90°)						–
QSC030111	Lumbar curve 5° (to the front)						XXX,-
QSC030110	Lumbar curve 5° (to the back)						XXX,-
QSC030101	Backrest, half-folding (to the back) Available from backrest height 375mm, only with push handles, medium. Not with stabilizing bar or headrest						XXX,-
QSC030031	Backrest, fold-down (to the front) Only available from backrest height 350mm, only with push handles, medium or push handles, fold-down. Not with stabilizing bar, headrest or JAY SHAPE, please see matrix on foldability on page 7						XXX,-
QSC030012	Backrest, angle-adjustable (70 - 105°) not with backrest height 500 mm						XXX,-
		80°	85° not possible with Exo ,Exo Pro & Jay Shape	90°	95°	100°	105°

### Push handles


QSC030201	Push handles, Medium	–
QSC030231	Push handles, Long +30 mm in length, not in combination with folding backrest (to the rear/ to the front)	XXX,-
QSC030203	Push handles, fold-down Not in combination with backrest, half-folding (to the back), not in combination with R20, only from back height 300 mm, not with JAY SHAPE	XXX,-
QSC030204	Push handles, height-adjustable Not in combination with backrest, half-folding (to the back), not in combination backrest, fold-down (to the front), only from back height 300 mm, not in combination with R20	XXX,-
QSC030205	Push handles, height-adjustable for JAY backs Not in combination with backrest, half-folding (to the back), not in combination backrest, fold-down (to the front), only from back height 300 mm, not in combination with R20	XXX,-
QSC030200	Without push handles Not in combination with backrest, half-folding (to the back), not in combination backrest, fold-down (to the front), not in combination with R20	–

### Backrest upholstery (black)

QSC030316	EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black (EXO Evo version)	–
	Colour binding tape:      Black      Orange      Silver      Red      Blue	–
QSC030317	EXO PRO Backrest sling, padded, adjustable, breathable, spacer fabric, 1 accessory bag, black (EXO Evo version)	XXX,-

	Colour binding tape:	Black	Orange	Silver	Red	Blue	–
QSC030000	Without backrest upholstery						–
<b>JAY Shape backrest</b>							
JAY080001	JAY SHAPE Back SW 360 - 500 mm, from BH 375 mm, from RSH 440 mm, not in combination with backrest fold down to the front						XXX,-
JAY080011	JAY SHAPE Lateral supports 100 x 120 mm (Pair) not in combination with backrest fold down to the front						XXX,-
JAY080010	JAY SHAPE Lateral supports 150 x 150 mm (Pair) not in combination with backrest fold down to the front						XXX,-
<b>Backrest accessories</b>							
QSC030402	Stabilising bar, automatic folding Not in combination with backrest, half-folding to the front and to the back						XXX,-
QSC030410	Headrest, tall height, depth and angle-adjustable, 230 x 110 mm Not in combination with backrest, half-folding (to the back), not in combination with backrest, fold-down (to the front), only with push handles height adjustable (QSC030204, QSC030205)						XXX,-

**Seat Upholsteries & Cushions**



// QSC020101-QSC020102  
Seat cushion, cover with zipper, black



// QSC090018  
Lap belt with buckle, metal



// JAY020002  
JAY Basic (pictured without cover)



// JAY020003  
JAY Soft Combi P (pictured without cover)



// JAY020001  
JAY Easy Visco (pictured without cover)



// JAY020007  
JAY Easy Fluid (pictured without cover)



// JAY020004  
JAY Lite (pictured without cover)

## Backrest



// QSC030012  
Angle adjustable back



// QSC030031  
Backrest, fold down (to the front)



// QSC030316  
EXO backrest sling (EXO Evo version)



// QSC030317  
EXO PRO backrest sling (EXO Evo version)



// QSC030201  
Push handles, Medium



// QSC030231  
Push handles, Long



// QSC030203  
Fold down push handles

// Matrix of Backrest, fold-down (to the front) with Standard Push handle

	350	375	400	425	450	475	500
Seat width 340							
360							
380							
400							
420							
440							
460							
480							
500							
520							
540							

- folds 90° to the front on folded chair
- can't be folded full 90° to the front on folded chair in combination with fold-down pushhandles
- can't be folded full 90° to the front on folded chair

// Matrix of Backrest, half-folding (to the back) with Fold Down Push handle

		Back height						
		350	375	400	425	450	475	500
Seat width	340							
	360							
	380							
	400							
	420							
	440							
	460							
	480							
	500							
	520							
	540							

QSC030411	Headrest, medium height, depth and angle-adjustable, 200 x 110 mm Not in combination with backrest, half-folding (to the back), not in combination with backrest, fold-down (to the front), only with push handles height adjustable (QSC030204, QSC030205)	XXX,-
-----------	--	-------

## JAY BACKS plus ACCESSORIES max. user weight 136 kg €

JAY J3 Back, Shallow Contour		Short (S)		Medium (M)		Tall (T)		
Mid Thoracic				JAY030010	340 mm	JAY030033	380 mm	XXX,-
Upper Thoracic	JAY030012	420 mm	JAY030019	460 mm	JAY030025	500 mm	XXX,-	
Shoulder Height	JAY030015	530 mm	JAY030022	570 mm	JAY030028	610 mm	XXX,-	
JAY J3 Back, Mid Contour		Short (S)		Medium (M)		Tall (T)		
Mid Thoracic			JAY030011	340 mm	JAY030018	380 mm	XXX,-	
Upper Thoracic	JAY030013	420 mm	JAY030020	460 mm	JAY030026	500 mm	XXX,-	
Shoulder Height	JAY030016	530 mm	JAY030023	570 mm	JAY030029	610 mm	XXX,-	
JAY J3 Back - Mid Deep Contour (150 mm contour depth)		Short (S)		Medium (M)		Tall (T)		
Mid Thoracic			JAY030044	340 mm	JAY030041	380 mm	XXX,-	
Upper Thoracic	JAY030045	420 mm	JAY030042	460 mm	JAY030046	500 mm	XXX,-	
Shoulder Height	JAY030043	530 mm	JAY030047	570 mm	JAY030048	610 mm	XXX,-	
JAY J3 Back - Mid Deep Contour (Extra Deep, 180 mm contour depth)		Short (S)		Medium (M)		Tall (T)		
Mid Thoracic					JAY030049	380 mm	XXX,-	
Upper Thoracic			JAY030050	460 mm				
JAY J3 Back, Deep Contour		Short (S)		Medium (M)		Tall (T)		
Upper Thoracic	JAY030014	420 mm	JAY030021	460 mm	JAY030027	500 mm	XXX,-	
Shoulder Height	JAY030017	530 mm	JAY030024	570 mm	JAY030030	610 mm	XXX,-	

WHT030415	Whitmyer Headrest, COBRA XTRA, flip back only with JAY J3 backs	XXX,-
WHT030416	Whitmyer Headrest, AXYS, Standard only with JAY J3 backs	XXX,-

## Armrests & Sideguards €

**Armrest** Not in combination with 4° camber.

	Single post height adjustable armrest	-
	QSC040050 Single-post sideguard, armpad (250 mm), height-adjustable, removable	XXX,-
	QSC040051 Single-post sideguard, armpad (360 mm), height-adjustable, removable	XXX,-
QSC040052	Single-post sideguard, armpad (330 mm), depth adjustable, tool height-adjustable, removable	XXX,-

### Desk Sideguard

Not in combination with 4° camber.

Combination of Half-folding backrest (QSC030101 and QSC030031) and desk sideguard only possible for backrest heights above 400 mm.

QSC040005	Desk sideguard, flip-up, removable	XXX,-
	QSC040144 Armpad for hemiplegic XL (length: 540 mm, width: 135 mm), left	XXX,-
	QSC040145 Armpad for hemiplegic XL (length: 540 mm, width: 135 mm), right	XXX,-
	QSC040146 Armpad for hemiplegic (length: 460 mm, width: 105 mm), left	XXX,-
	QSC040147 Armpad for hemiplegic (length: 460 mm, width: 105 mm), right	XXX,-
QSC040001	Desk sideguard, armpad (250 mm), fixed, flip-up, removable	XXX,-
	QSC040144 Armpad for hemiplegic XL (length: 540 mm, width: 135 mm), left	XXX,-
	QSC040145 Armpad for hemiplegic XL (length: 540 mm, width: 135 mm), right	XXX,-
	QSC040146 Armpad for hemiplegic (length: 460 mm, width: 105 mm), left	XXX,-
	QSC040147 Armpad for hemiplegic (length: 460 mm, width: 105 mm), right	XXX,-
QSC040003	Desk sideguard, armpad (310 mm), fixed, flip-up, removable	XXX,-
	QSC040144 Armpad for hemiplegic XL (length: 540 mm, width: 135 mm), left	XXX,-
	QSC040145 Armpad for hemiplegic XL (length: 540 mm, width: 135 mm), right	XXX,-
	QSC040146 Armpad for hemiplegic (length: 460 mm, width: 105 mm), left	XXX,-
	QSC040147 Armpad for hemiplegic (length: 460 mm, width: 105 mm), right	XXX,-
QSC040002	Desk sideguard, armpad (250 mm), height-adjustable, flip-up, removable	XXX,-



QSC040004	Desk sideguard, armpad (310 mm), height-adjustable, flip-up, removable	XXX,-
QSC040117	Tubular armrest. Alu, swing away, padded, removable can be combined with sideguards QSC040102 /3 / 4 /7	XXX,-
<b>Sideguards</b>		
QSC040107	Sideguard, composite, removable, 210 mm high (310 mm long), black	XXX,-
QSC040102	Sideguard, aluminium , cold weather protection (in frame colour) (width between sideguards is SW +20 mm)	XXX,-
QSC040103	Sideguard, aluminium , fender, cold weather protection (in frame colour) (width between sideguards is SW +20 mm)	XXX,-
QSC040104	Sideguard, carbon fibre, fender, cold weather protection (black) (width between sideguards is SW +20 mm)	XXX,-

**Trays** €

<b>Slide on tray</b>		
QSC090011	Tray, push-fit only for SW 380 mm to 480 mm, only in combination with Desk sideguard QSC040004 or Single post sideguard, armpad QSC040052	XXX,-
QSC090046	Half side Tray, swing away only in combination with Desk sideguard QSC040004	XXX,-
	assembly left	
	assembly right	

<b>Swing away tray</b> only in combination with Desk sideguard QSC040004 or Single post sideguard, armpad QSC040052		
QSC090012	Tray, swing-away (to the side), SW 340 - 600 mm, left-mount	XXX,-
QSC090013	Tray, swing-away (to the side), SW 340 -600 mm, right-mount	XXX,-

**Frame** €

QSC010010	Frame FF 75° (integrated footrest) (EU: 105°) not in combination with QSC080101 Expansion kit, designed for hemiplegic users and the Hemi front seat-heights indicated on page 1	–
QSC010011	Frame FF 85° (integrated footrest) (EU: 95°) not in combination with QSC080101 Expansion kit, designed for hemiplegic users and the Hemi front seat-heights indicated on page 1	–
QSC010016	Frame FF 85° (integrated footrest), inset (20 mm on each side), active (EU: 95°) not in combination with QSC080101 Expansion kit, designed for hemiplegic users and the Hemi front seat-heights indicated on page 1	XXX,-

**JAY J3 Backs** more JAY products available on separate JAY order forms



// JAY J3 Back Shallow Contour

// JAY J3 Back Mid Contour

// JAY J3 Back Mid Deep Contour

// JAY J3 Back Deep Contour

**Sideguard & Armrest**



// QSC040050-QSC040051  
Single post height adjustable armrest



// QSC040052  
Single-post sideguard, depth adjustable, tool height-adjustable



// QSC040107  
Sideguard composite detachable



// QSC040104  
Sideguard carbon with fender



// QSC040103  
Sideguard alu with fender



// QSC040002  
Desk armrest, height adjustable, short armpad (250 mm)



// QSC040001  
Desk armrest, fixed height, short armpad (250 mm)



Desk armrest without armpad

Frame



// QSC010015  
QS5 X SA



// QSC010011  
QS5 X FF 85°



// QSC010010  
QS5X FF 75°



// QSC010016  
Frame FF 85° (integrated footrest), inset (20 mm on each side), active



// QSC090102  
Crashtest Option

QSC010015	Frame SA (removable footrest)	–
QSC090102	With crash test option ISO 7176-19:2022 approved as seat in a vehicle	XXX,-

### Centre of Gravity (COG) measured from front of back post; choose only one option €

COG25	Centre of gravity 25 mm	–
COG40	Centre of gravity 40 mm	–
COG50	Centre of gravity 50 mm	–
COG60	Centre of gravity 60 mm	–
COG75	Centre of gravity 75 mm	–

### Frame Accessories €

QSC090010	Transit wheels Not with crutch holder, tip assist and anti tip	–
-----------	---	---

#### Tip assist (step tube) & Crutch holder

QSC090001	Tip assist, left	XXX,-
QSC090002	Tip assist, right	XXX,-
QSC090003	Tip assist, pair not in combination with anti-tip	XXX,-
QSC090009	Crutch holder, loop only in combination with tip assist	XXX,-

#### Anti-tip tubes, swing-away

QSC090004	Anti-tip tubes, swing-away, left	XXX,-
QSC090005	Anti-tip tubes, swing-away, right	XXX,-
QSC090006	Anti-tip tubes, swing-away, pair not in combination with tip-assist	XXX,-
QSC090036	Anti-tip tubes, aluminium, lightweight, swing-away (forwards), pair not with tip assist	XXX,-
QSC110156	Twin LED Light	XXX,-
QSC010056	Auto folding fixation the Fold-N-Lock mechanism keeps the wheelchair locked in folded position	XXX,-
QSC010057	Touch points ergonomic rubber cover on the front frame tubes, only for FF frames	XXX,-

### Preparation Add-on Bike Attitude only with FF-Frame €

QSC090211	Preparation for ATTITUDE, w/o ATTITUDE order docking pins assembled	XXX,-
QSC090212	Preparation for ATTITUDE, with ATTITUDE order docking pins assembled; ATTITUDE order separately	–

### Empulse R20 Bundling €

EMO000203	Empulse R20 added	XXX,-
EMO000204	Empulse R20 mounted	XXX,-

### Empulse F55 Bundling €

EMO000101	With F55 order, not mounted to the wheelchair Please use separate OF to order the F55	XXX,-
EMO000102	With F55 order, mounted to the wheelchair Please use separate OF to order the F55	XXX,-

### Empulse F35 Bundling €

EMO000301	With F35 order, not mounted to the wheelchair Please use separate OF to order the F35	XXX,-
EMO000302	With F35 order, mounted to the wheelchair Please use separate OF to order the F35	XXX,-

## Hangers &amp; Footplates

€

Aluminium hanger				
QSC050002	Hanger angle 70° (EU: 110°)			–
QSC050001	Hanger angle 80° (EU: 100°)			–
QSC050041	Hanger angle 90° (EU: 90°)			–
QSC050006	Hanger, aluminium, swing-away, LH	QSC050007	Hanger, aluminium, swing-away, RH	XXX,-
pick both	Hanger, aluminium, swing-away, Pair			XXX,-
Composite hanger				
QSC050002	Hanger angle 70° (EU: 110°)			–
QSC050001	Hanger angle 80° (EU: 100°)			–
QSC050003	Hanger, composite, swing-away, LH	QSC050004	Hanger, composite, swing-away, RH	XXX,-
pick both	Hanger, composite, swing-away, Pair			XXX,-
Elevating Legrest (ELR)				
QSC050009	Hanger, aluminium, flip-up (0° - 90°), swing-away, LH only in combination with footboard divided, aluminium or composite			XXX,-
QSC050010	Hanger, aluminium, flip-up (0° - 90°), swing-away, RH only in combination with footboard divided, aluminium or composite			XXX,-
pick both	Hanger, aluminium, flip-up (0° - 90°), swing-away, Pair only from SW 38, only in combination with footboard divided, aluminium or composite			XXX,-
Amputee Support Pad				
QSC050014	Amputee support, left			XXX,-
QSC050013	Amputee support, right			XXX,-
QSC050012	Amputee support, pair			XXX,-
Footplate				
QSC050104	Footboard, divided, composite, flip-up (sideways), heel loop, black			–
QSC050020	Footboard, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black			XXX,-
QSC050050	Footboard, divided, aluminum, angle-adjustable, flip-up (sideways), heel loop, black from LLL 360 mm			XXX,-
QSC050102	Footboard, platform, aluminum, angle-adjustable, flip-up (sideways), heel loop, black not in combination with ELR			XXX,-
	QSC050126	Swing-away mechanism for platform footboard from LLL 380 mm		XXX,-
	QSC050062	Locking system, platform footplate, aluminium		XXX,-
Platform footrest, angle adjustable				
only up to seat width 500 mm				
QSC050131	Footboard, platform, lightweight, composite, angle & depth-adj. flip up (sideways), calf strap, black not in combination with ELR			XXX,-
QSC050132	Footboard, platform, lightweight, carbon fibre, angle & depth-adj. flip up (sideways), calf strap, black not in combination with ELR			XXX,-
QSC050127	Adjustable side protection, to create a side-stop on the footboard only in combination with Platform footrest			XXX,-
Autofolding				
only up to seat width 500 mm				
QSC050028	Footboard, platform, lightweight, composite, auto-folding, angle & depth-adj., calf strap, black not in combination with ELR and SA frame			XXX,-
QSC050027	Footboard, platform, lightweight, carbon fibre, auto-folding, angle & depth-adj., calf strap, black not in combination with ELR and SA frame			XXX,-

**Frame Accessories**



// QSC090010  
Transit wheels




// QSC090001-QSC090003  
Tip assist



// QSC090009  
Crutch holder



// QSC090004-QSC090006  
Anti-tip swing away



// QSC050041  
Aluminum hanger, 90°



// QSC050002-QSC050001  
Composite hanger 70°/80°



// QSC050009-QSC050010  
Elevating legrest



// QSC050012-QSC050014  
Amputee Support Pad



// QSC050131  
Platform footplate lightweight angle & depth adjustable composite flip up



// QSC050132  
Footboard platform, lightweight, carbon fibre, auto folding




// QSC050020  
Divided footplate composite



// QSC050050  
Divided footplate aluminum



// QSC050102  
Platform, angle and depth adjustable; flip up, aluminium with locking system



// QSC110156  
Twin LED Light

**F55 Bundling - NoGo Matrix for 24" Rear Wheels**

COG	Seath Depth								
	380	400	420	440	460	480	500	520	540
25	x	✓	✓	✓	✓	✓	✓	✓	✓
37,5	x	x	✓	✓	✓	✓	✓	✓	✓
50	x	x	✓	✓	✓	✓	✓	✓	✓
62,5	x	x	x	✓	✓	✓	✓	✓	✓
75	x	x	x	✓	✓	✓	✓	✓	✓

**F55 Bundling - NoGo Matrix for 25" Rear Wheels**

COG	Seath Depth								
	380	400	420	440	460	480	500	520	540
25	x	x	✓	✓	✓	✓	✓	✓	✓
37,5	x	x	✓	✓	✓	✓	✓	✓	✓
50	x	x	x	✓	✓	✓	✓	✓	✓
62,5	x	x	x	x	✓	✓	✓	✓	✓
75	x	x	x	x	✓	✓	✓	✓	✓

**Lower Leg Length** LLL in mm, Attention: LLL has to be 30 mm lower than seat height front

340	350	360	370	380	390	400	410	420	430	440
450	460	470	480	490	500					

**Fork** compare with your choice on the first page €

QSC080029	Castor fork, Aluminium, black (anodized)									–
	QSC080042 Colour Cast. Fork Silver (anodized)									XXX,-
QSC080064	Castor fork Aluminium Powder coated									–
	Colour Cast. Fork Red Ruby (21)									XXX,-
	Colour Cast. Fork Marsred (37)									XXX,-
	Colour Cast. Fork White (32)									XXX,-
	Colour Cast. Matt Marine (16)									XXX,-
QSC080008	Castor fork, aluminium, one-arm. Standard colour: black									XXX,-
	Orange	Silver	Red	Blue						XXX,-
QSC080101	Expansion kit, designed for hemiplegic users Lower and wider caster-links to achieve lower seat heights; not with 7" casters; SA frame only									XXX,-

**Castor** compare with your choice on the first page €

QSC080301	Castor, solid (hard), rim: composite, black									–
QSC080302	Castor, solid (soft), rim: composite, black only for 5" & 6" castors									–
QSC080305	Castor, pneumatic, rim: composite, black only for 5" & 6" castors									–

**Castor with aluminium rim**

QSC080304	Castor, solid (hard), rim: aluminium only for 4" & 5" castors									XXX,-
QSC080306	Castor, solid (soft), rim: aluminium, silver only for 4" & 5" castors									XXX,-
	Colour rim:	Black	Orange	Red	Blue					XXX,-

**Rear Wheels** compare with your choice on the first page €

QSC070000	Without rear wheel									–
QSC070001	Rear wheel, Universal, 36 spokes (silver), cross-wise spokes not in 25"									–
QSC070002	Rear wheel, Design, 36 spokes (silver), straight spokes only 24"									–
QSC070003	Rear wheel, Lightweight, 24 spokes (silver), straight spokes not in 26", max. user weight: 125 kg									XXX,-
QSC070004	Rear wheel, Proton, 24 spokes (black), straight spokes not in 26", max. user weight: 100 kg									XXX,-
QSC070005	Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver only 24"/25"									XXX,-
QSC070007	Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub: black only 24"/25"									XXX,-
QSC070008	Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes only 22"/24"									XXX,-
QSC070009	Rear wheel, Mountainbike, 36 spokes (silver), straight spokes only 24"									XXX,-

**One-hand operation**

QSC070401	Rear wheel, one-hand operation, 36 spokes, cross-spoked, left actuation									XXX,-
QSC070402	Rear wheel, one-hand operation, 36 spokes, cross-spoked, right actuation									XXX,-



<b>Tyres</b> choose only one tyre type		€
QSC070101	Tyre, pneumatic, fine profile, Schwalbe Right Run not with 25"	–
QSC070102	Tyre, puncture proof, tread only 24"/25"	–
QSC070107	Tyre, pneumatic, slick, Schwalbe One not with 26"	XXX,-
QSC070104	Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution not with 22"	XXX,-
QSC090163	Spares-kit: 1 extra tyre (same as on the chair) and 1 extra inner tube not with QSC070102 tyre, puncture proof	XXX,-

<b>Handrims</b>		€
QSC070204	Handrims, stainless steel, silver	–
QSC070202	Handrims, aluminium, anodised, silver	–
QSC070201	Handrims, aluminium, powder-coated, clear	–
QSC070203	Handrims, aluminium, powder-coated, coloured	XXX,-
QSC070207	Handrims, Supergrip ® 22" only with universalrear wheel and drum brake wheels	XXX,-
QSC070208	Handrims, Maxgrepp ® only 22"/24"	XXX,-
QSC070212	Handrims, Ellipse 3R, black ergonomic handrims with rubber-strip, 24" and 25" only	XXX,-
QSC070200	Without handrims	–
<b>Handrim mounting</b>		
QSC070307	Handrim mount, super narrow (7 mm) only with 24" stainless steel	XXX,-
QSC070317	Handrim mount, narrow (17 mm)	–
QSC070327	Handrim mount, wide (27 mm) not with Maxgrepp	–
<b>Handrim cover</b>		
QSC070251	Handrim cover, Silicon not with 25"/26", Supergrip, Maxgrepp, Ellipse	XXX,-

<b>Wheel Camber</b>		
QSC070600	0°	–
QSC070602	2°	XXX,-
QSC070604	4°	XXX,-

## Forks



// QSC080064 Castor fork  
Alumimium Powder coated



// QSC080101 Expansion kit, designed for hemiplegic users

## Rear Wheels



// QSC070001  
Universal cross spoked



// QSC070002  
Design wheel



// QSC070003  
Lightweight wheel



// QSC07005  
Spinergy wheel, 18 spokes



// QSC070008  
Drum brake wheel




// QSC070401-2  
Rear wheel, one-hand operation, 36 spokes, cross-spoked

**Tyres & Handrims**



// QSC070101  
Right Run Tyre



// QSC070107  
Solid Tyre



// QSC070104  
Marathon Plus Evolution



// QSC070207  
Supergrip



// QSC070208  
Max Grepp



// QSC070212  
Ellipse 3R Handrim

**Spoke Guards** not with spinergy wheels, not with 25", not with mountainbike wheel €

QSC070831	Transparent not with 25"					XXX,-
QSC070822	Pool	QSC070820	Oriental			XXX,-
QSC070811	Feather	QSC070817	Hot Wheels	QSC070802	Basketball	XXX,-
QSC070814	Graffiti	QSC070806	Chrome	QSC070827	Silk	XXX,-
QSC070828	Space	QSC070812	Flying Water	QSC070803	Basketball 2	XXX,-

not with 25" and 26"

**Wheel Locks** choose only one option €

QSC060001	Standard brake					-
QSC060002	Knee-lever brake					XXX,-
	QSC060010	Brake lever extension, knee-lever brake, fold-down				XXX,-
QSC060023	Compact brake EVO					XXX,-
QSC060015	Push to lock brake, one-arm, left actuation					XXX,-
QSC060016	Push to lock brake, one-arm, right actuation					XXX,-

**Accessories** €

QSC090000	Tool kit					XXX,-
QSC090025	Air pump					XXX,-
QSC090024	High pressure pump (0 - 11 bar)					XXX,-
QSC090030	Back pack					XXX,-
QSC090026	Mobile phone pocket					XXX,-

**Frame Colours** Handrim: only with handrim colour powder coated; Hub/rim: only for universal wheel 22" or 24"

	Frame	Handrim	Hub / Rim		Frame	Handrim	Hub / Rim
03 Silver Matt				27 Graphitemetallic			
15 Brillant Marine				29 Black			
16 Matt Marine				31 Matt Black			
19 Brillant Purple				32 Signal White			
22 Brillant Red				02 Brilliant Silver			
23 Matt Red				06 Sun Yellow			
34 Dark Chocolate				14 Blue			
35 Skyblue				21 Red Ruby			
36 Cyan-Metallic				24 Tutti Frutti Orange			
37 Marsred (Orange)				33 Pink			
40 Kiwi				42 Matt Anthracite			
41 Flamingo-Glitter						XXX,-	XXX,-
46 Mamba Green							
	XXX,-	XXX,-	XXX,-				

**Sticker Colours** €

QSC100550	Black					-
QSC100551	Silver					-
QSC100552	Orange					-
QSC100553	Red					-
QSC100554	Blue					-

### Cross brace and Footboard Colours €

QSC100587	Cross brace in frame colour	XXX,-
QSC100588	Footboard alu in frame colour only with aluminium footboards QSC050050 and QSC050102	XXX,-

### 24 " Light Weight Wheel Colours Hub and rim €

	Black	-
QSC100336	Anodized, orange	XXX,-
QSC100337	Anodized, blue	XXX,-
QSC100338	Anodized, red	XXX,-

## Wheel Locks



// QSC060002  
Knee lever wheel lock



// QSC060010  
Brake lever extension



// QSC060023  
Compact brake EVO



// QSC060001  
Standard brake

## Accessories



// QSC090030  
Back pack



// QSC090024  
High pressure pump



// QSC090025  
Air pump



// QSC090026  
Mobile phone pocket

## 24 " Light Weight Wheel Colours



// QSC100336  
Lightweight wheel, anodized orange



// QSC100337  
Lightweight wheel, anodized blue



// QSC100338  
Lightweight wheel, anodized red

Comments



Quickie QS5 X		€
<b>Base Price</b>		00,000.00
Option Price		
Packaging And Transport		
Exclusive VAT		
VAT		
<b>Total Price</b>		

Date			Signature
Day	Month	Year	



**Sunrise Medical Poland**  
 Ul. Walczaka 114a,66 400, Gorsaw,  
 Gorzów Wlkp. Polen  
 Phone: +48 95 737 25 14  
 E-Mail: cs.pl@sunrise-medical.pl  
 www.SunriseMedical.eu