



Deliver to:
Name:
Street:
Town: Postal code:
E-Mail:
Tel: Fax:



Deliver to:
Name:
Street:
Town: Postal code:
E-Mail:
Tel: Fax:

Order date:
Purchase order:
Number required:

Marked for:
Sunrise order no:

- Order Calculation Built 4 me (longer leadtime)

- = Standard = Cost option
 = Price reduction = No cost option

Art. No. DE: 76 800 000

Max. user weight: 110 kg/140 Kg (Hybrid)
USER WEIGHT kg

Mandatory information to ensure correct configuration

Base Price

Xenon²

- = Standard = No cost option = Cost option

CLIENT MEASUREMENTS (all measurements in mm without cushion)

SEAT WIDTH SELECTION - measured from outside frame tube to outside frame tube (mm)

320	340	360	380	400	420	440	460	480	500
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

only Hybrid frame

SEAT DEPTH SELECTION - in mm

340	360	380	400	420	440	460	480	500
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

FRONT SEAT HEIGHT SELECTION: in dependance of front castors, forks and frame versions

		Fork (length)	Frame:	43	44	45	46	47	48	49	50	51	52	53	54	55	
3"	low	111 mm		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>											
		123 mm (1)				<input type="checkbox"/>	<input type="checkbox"/>										
		Frog Leg (1)						<input type="checkbox"/>	<input type="checkbox"/>								
		One Arm (1)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>											
		111 mm	high					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							
		123 mm (1)								<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
Frog Leg (1)											<input type="checkbox"/>	<input type="checkbox"/>					
One Arm (1)									<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						
4"	low	111 mm		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>										
		123 mm (1)				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>								
		Frog Leg (1)						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							
		One Arm (1)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>										
	high	111 mm							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
		123 mm (1)									<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
5"	low	111 mm					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>								
		123 mm (1)						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							
		Frog Leg (1)							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						
		One Arm (1)						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							
	high	111 mm									<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
		123 mm (1)										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
6"	123 mm (1)								<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						
	Frog Leg (1)									<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
	123 mm (1)											<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		Frog Leg (1)											<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

REAR SEAT HEIGHT SELECTION: in dependance of rear wheel size

Rear seat height in mm

Rear Wheels	370	380	390	400	410	420	430	440	450	460	470	480	490	500
24"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
25"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

The rear seat height can only be between 0 mm and 110 mm below the selected front seat height.

(1) compatible with power add on devices.

(2) only with lightweight adapter

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

- a) For the user: Allow space between sideguard and hip on each side of the chair (approx. 10 - 20 mm altogether)
- b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

- a) For the user: When sitting upright: leave space for 2 - 3 fingers between front edge of the seat upholstery and back of knee. (approx. 30 - 60 mm). Care must be taken with adj. upholstery.
- b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

- a) For the user: When sitting with 90° kneeangle:
From back of knee to bottom of shoe sole.
- b) On the wheelchair: From front of seat tube to the ground.
(min. 30 mm longer than user measurement)
Remember to include the cushion height.

Rear seat height:

- b) On the wheelchair: From back of seat tube to the ground.
Note: Max. seat height difference rear to front is 110 mm

Back height:

- a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.
- b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.
Note: The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably

Back angle:

Important: The back height depends on the degree of disability.
0° is the angle 90° to the ground. Negative angles are <90° and positive angles are >90°.

Technical Data Overview:

Max. overall height:	1020 mm		
Max. overall length:	1050 mm		
Max. turning circle:	700 mm		
Max. safe slope:	10°		
Wheelchair weight:	from 8,8 kg		
Dismantled weight:	from 6,3 kg		
Weight of heaviest part:	2,1 kg		
Max. overall width:	Camber	24" rear wheel	25" rear wheel
	For 0° camber:	SW + 160 mm	SW + 160 mm
	For 2° camber:	SW + 210 mm	SW + 220 mm
	For 4° camber:	SW + 260 mm	SW + 270 mm

Product is **crash tested according to ISO 7176-19** and therefore approved for transportation in a vehicle.
in combination with XFF090100 (Tie down brackets for transportation)
For transport without a user the chair must be safe clamped in the vehicle.

All changes in the configuration might change the seat heights.
Manufacturing tolerances of +/- 10 mm

Xenon²

● = Standard ○ = No cost option □ = Cost option

Price in €

SEAT

Seat sling

XFF020002	●	Seat sling, nylon, tension adjustable, 1 utility bag	
XFF020003	□	Seat sling, nylon, tension adjustable, 2 utility bags	(only from SW 360 mm)
XFF020004	□	Seat sling, nylon, tension adjustable, 1 utility bag, 1 catheter bag	(only from SW 360 mm)
XFF020000	○	Without seat sling	

Seat cushion, cover with zipper, black

Foam (medium-soft)	Thickness:	XFF020101	□	30 mm	XFF020102	□	50 mm
--------------------	------------	-----------	---	-------	-----------	---	-------

Seat accessories

XFF090018	□	Lap belt with buckle, metal	
XFF020050	□	Additional padding for seat upholstery, removable	

JAY Cushions - for complete product range see Jay order forms

JAY020002	□	JAY Basic	
JAY020003	□	JAY Soft Combi P	
JAY020001	□	JAY Easy Visco, Curved Base	
JAY020004	□	JAY Lite	
JAY020007	□	JAY Easy Fluid, Curved Base	

BACKREST

Back height range

Choose back height factory setting (mm).
Height adjustments of in total 50 mm possible.

250 - 300	300 - 350	350 - 400	400 - 450	450 - 475
○ 250	○ 300	○ 350	○ 400	○ 450
○ 275	○ 325	○ 375	○ 425	○ 475
○ 300	○ 350	○ 400	○ 450	

Backrest height, carbon fiber tubes (1)

Fixed height, non height adjustable

□ 250	□ 275	□ 300	□ 325
□ 350	□ 375	□ 400	□ 425

XFF030010	○	Backrest, fixed (90°)	
XFF030029	○	Desk sideguard preparation for later replacement (2)	
XFF030031	□	Backrest, fold-down (to the front) (4)	(from back height 325 mm, fixed back height, not adjustable)
XFF030012	□	Backrest, angle-adjustable	(75° to 103°)
XFF030029	○	Desk sideguard preparation for later replacement (3)	
XFF030031	□	Backrest, fold-down (to the front) (4)	(from back height 325 mm, fixed back height, not adjustable)

Pushhandles

XFF030200	○	Without push handles	
XFF030201	○	Push handles long	
XFF030203	□	Push handles, fold-down	(only available from back height 325 mm upwards)
XFF030205	□	Push handles, height-adjustable for Jay backs	(only available from back height 325 mm upwards)
XFF030204	□	Push handles, height-adjustable	(only available from back height 300 mm upwards)

Backrest upholstery

XFF030316	○	EXO Backrest sling, padded, adjustable, 1 accessory bag, black (EXO Evo version)	
		Colour, binding tape: ● Black ○ Orange ○ Silver ○ Red ○ Blue	
XFF030317	□	EXO PRO Backrest, padded, adj., breathable spacer fabric, 1 accessory bag, black (EXO Evo version)	
		Colour, binding tape: ● Black ○ Orange ○ Silver ○ Red ○ Blue	
XFF030300	○	Without backrest upholstery	


Accessories for backrest

XFF030402	□	Stabilising bar, automatic folding	(only available from SW 380mm; not with fixed height backrest)
-----------	---	------------------------------------	--

- (1) not with Jay J3 backs, not with Desk sideguard, not for use with add on bikes
 (2) necessary for retrofitting Desk sideguard or Tubular armrest with Backrest, fixed 90°
 (3) necessary for retrofitting Desk sideguard
 (4) not with height adj; push handles, not with JAY backs; in combination with push handles fold-down only from backrest height 400 mm upwards; please see Folding Matrix on next side

For more information
visit our webpage
www.SunriseMedical.eu

© Sunrise Medical 2024



XFF 020002 Seat sling with utility bag 1



XFF 020003 Seat sling with utility bags 2



XFF 030316 EXO backrest sling (EXO Evo version)



XFF 030317 EXO PRO backrest sling (EXO Evo version)



XFF 030201 Push handles long



XFF 030203 Push handles, fold-down



XFF 030204 Push handles, height-adjustable



XFF 090018 Lap belt with buckle, metal

Folding-Matrix for XFF 030031 Backrest, fold-down to the front.



		Back height						
		325	350	375	400	425	450	475
Seat width	320	✓	✓	✓	✓	✓	✓	✓
	340	✓	✓	✓	✓	✓	✓	✓
	360	✓	✓	✓	✓	✓	✓	✓
	380		✓	✓	✓	✓	✓	✓
	400			✓	✓	✓	✓	✓
	420				✓	✓	✓	✓
	440				✓	✓	✓	✓
	460					✓	✓	✓
	480						✓	✓
	500							✓



=folds 90° to the front on folded chair



=can't be folded full 90° to the front on folded chair in combination with fold-down pushhandles



=can't be folded full 90° to the front on folded chair



=will fold less than 45° to the front on folded chair, folds 90° on unfolded chair

Xenon²

● = Standard ○ = No cost option □ = Cost option

Price in €

Jay 3 Back - Shallow Contour (SC)

Mid Thoracic:	<input type="checkbox"/> JAY030010	Medium - 340 mm	<input type="checkbox"/> JAY030033	Tall - 380 mm
Upper Thoracic:	<input type="checkbox"/> JAY030012	Short - 420 mm	<input type="checkbox"/> JAY030019	Medium - 460 mm
Shoulder Height:	<input type="checkbox"/> JAY030015	Short - 530 mm	<input type="checkbox"/> JAY030022	Medium - 570 mm

Jay 3 Back - Mid Contour (MC)

Mid Thoracic:	<input type="checkbox"/> JAY030011	Medium - 340 mm	<input type="checkbox"/> JAY030018	Tall - 380 mm
Upper Thoracic:	<input type="checkbox"/> JAY030013	Short - 420 mm	<input type="checkbox"/> JAY030020	Medium - 460 mm
Shoulder Height:	<input type="checkbox"/> JAY030016	Short - 530 mm	<input type="checkbox"/> JAY030023	Medium - 570 mm

JAY J3 Back - Mid Deep Contour (MDC)

Mid Thoracic:	<input type="checkbox"/> JAY030044	Medium - 340 mm	<input type="checkbox"/> JAY030041	Tall - 380 mm
Upper Thoracic:	<input type="checkbox"/> JAY030045	Short - 420 mm	<input type="checkbox"/> JAY030042	Medium - 460 mm
Shoulder Height:	<input type="checkbox"/> JAY030043	Short - 530 mm	<input type="checkbox"/> JAY030047	Medium - 570 mm

Jay 3 Carbon Back - Shallow Contour (SC)

Lower Thoracic:	<input type="checkbox"/> JAY060001	Short - 170 mm	<input type="checkbox"/> JAY060002	Tall - 240 mm
Mid Thoracic:	<input type="checkbox"/> JAY060003	Short - 300 mm	<input type="checkbox"/> JAY060004	Tall - 380 mm

Accessories for JAY J3 backs

WHT030415	<input type="checkbox"/> Whitmyer Headrest, COBRA XTRA, flip back	(only with JAY J3 backs)
WHT030416	<input type="checkbox"/> Whitmyer Headrest, AXYS, Standard	(only with JAY J3 backs)
JAY090058	<input type="checkbox"/> JAY Accessory bag	(only with Jay 3 Carbon backs)

ARMREST AND SIDEGUARDS

Armrest

XFF040005	<input type="checkbox"/> Desk sideguard, flip-up, removable
XFF040001	<input type="checkbox"/> Desk sideguard, armpad (250 mm), fixed, flip-up, removable
XFF040002	<input type="checkbox"/> Desk sideguard, armpad (250 mm), height-adjustable, flip-up, removable
XFF040003	<input type="checkbox"/> Desk sideguard, armpad (310 mm), fixed, flip-up, removable
XFF040004	<input type="checkbox"/> Desk sideguard, armpad (310 mm), height-adjustable, flip-up, removable
XFF040052	<input type="checkbox"/> Single-post sideguard, armpad (330 mm), depth adjustable, height-adjustable, removable
XFF040117	<input type="checkbox"/> Tubular armrest, Aluminium, swing away (sideways), padded, removable

Accessories armrest

XFF040020	<input type="checkbox"/> Release assistance for tetraplegics	(only with desk sideguard)
-----------	--	----------------------------

Sideguards

XFF040107	<input type="checkbox"/> Sideguard, composite, removable, 210 mm high (310 mm long), black
XFF040101	<input type="checkbox"/> Sideguard, carbon fibre, cold weather protection, slim (black)
XFF040102	<input type="checkbox"/> Sideguard, aluminium, cold weather protection (in frame colour)
XFF040103	<input type="checkbox"/> Sideguard, aluminium, fender, cold weather protection (in frame colour)
XFF040104	<input type="checkbox"/> Sideguard, carbon fibre, fender, cold weather protection (black)

FOOTBOARDS

XFF050023	<input type="checkbox"/> Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, frame colour
XFF050126	<input type="checkbox"/> Swing-away mechanism for platform footboard (minimum LLL 30 mm longer)
XFF050059	<input type="checkbox"/> Footboard, platform, Performance, aluminium, angle-adjustable, flip-up (sideways), calf strap (1)
XFF050131	<input type="checkbox"/> Footboard, platform, lightweight, plastic, angle & depth-adj. flip up (sideways), calf strap, black
XFF050132	<input type="checkbox"/> Footboard, platform, lightweight, carbon fibre, angle & depth-adj. flip up (sideways), calf strap, black
XFF050061	<input type="checkbox"/> Footboard, platform, lightweight, plastic, angle & depth-adj. flip up (sideways), high-mount black (LLL 220-340 mm)

Footboard, auto-folding

XFF050027	<input type="checkbox"/> Footboard, platform, lightweight, carbon fibre, auto-folding, angle & depth-adjustable, calf strap, black
XFF050028	<input type="checkbox"/> Footboard, platform, lightweight, plastic, auto-folding, angle and depth-adjustable, calf strap, black

Accessories for footboards

XFF050127	<input type="checkbox"/> Adjustable side protection, to create a side-stop on the footboard (2)
-----------	---

LOWER LEG LENGTH (LLL): has to be 25 mm less than front seat height; all measurements are in mm

- 220 ○ 230 ○ 240 ○ 250 ○ 260 ○ 270 ○ 280 ○ 290 ○ 300 ○ 310
- 320 ○ 330 ○ 340 ○ 350 ○ 360 ○ 370 ○ 380 ○ 390 ○ 400 ○ 410
- 420 ○ 430 ○ 440 ○ 450 ○ 460 ○ 470 ○ 480 ○ 490 ○ 500

- (1) not in SW320 with 10 mm inset
- (2) only for footboard, platform lightweight or Performance

For more information
visit our webpage
www.SunriseMedical.eu
© Sunrise Medical 2024

JAY J3 Shallow Contour

JAY J3 Mid Contour

JAY J3 Mid Deep Contour



XFF040107
Composite
sideguard
detachable



XFF040101
carbon fibre, cold
weather protection,
slim



XFF040102
Aluminium, cold weather
protection



XFF040103
Aluminium, cold weather
protection, fender



XFF04000x
Desk sideguard, armrest, flip-
up, removable



XFF040104
Carbon fibre, cold weather
protection, fender



XFF050132
Footboard platform,
lightweight, carbon fibre



XFF050059
Footboard platform,
performance



XFF050027
Footboard platform,
lightweight, carbon fibre,
auto folding



XFF050127
Adjustable side protection

Xenon²

● = Standard ○ = No cost option □ = Cost option

Price in €

FRAME VERSIONS

Open frame *(max. user weight 110kg)*

XFF010012	<input type="radio"/>	Frame FF 100 ° (integrated footrest) (UK 80 °)	
		XFF010101 <input type="checkbox"/> Inset: Slight (10 mm)	
XFF010013	<input type="checkbox"/>	Frame FF 92 ° (integrated footrest), performance (UK 88 °)	
		XFF010101 <input type="checkbox"/> Inset: Slight (10 mm)	

Hybrid frame *(max user weight 140kg)*

XFF010020	<input type="checkbox"/>	Frame FF 100 ° (integrated footrest), hybrid	
XFF010021	<input type="checkbox"/>	Frame FF 92 ° (integrated footrest), hybrid	

CENTRE OF GRAVITY (COG)

XFF070703	Adapter, standard	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6		
		<input type="radio"/> 7	<input type="radio"/> 8	<input type="radio"/> 9	<input type="radio"/> 10			
XFF070701	Adapter, lightweight (1)	<input type="radio"/> 5	<input type="radio"/> 6	<input type="radio"/> 7	<input type="radio"/> 9	<input type="radio"/> 10	<input type="radio"/> 11	
XFF010411	<input type="radio"/>	Axle plate, aluminium, long (full adjustment)						
XFF010412	<input type="checkbox"/>	Axle plate, aluminium, shorted (max. adjustment 10 mm)						

FRAME ACCESSORIES

(choose either tip assist or anti-tip tubes per side)

XFF090016	<input type="checkbox"/>	Frame protection, black	
XFF090100	<input type="checkbox"/>	Tie down brackets for transportation	
XFF090010	<input type="checkbox"/>	Transit wheels	
XFF090014	<input type="checkbox"/>	Frame reinforcement kit for add on bike	
XFF090050	<input type="checkbox"/>	Anti-tip tubes, plug-in, pair	
Anti-tip tubes, swing-away			
XFF090004	<input type="checkbox"/>	Left	XFF090005 <input type="checkbox"/> Right
XFF090006	<input type="checkbox"/>	Pair	
Tip assist			
XFF090001	<input type="checkbox"/>	Left	XFF090002 <input type="checkbox"/> Right
XFF090003	<input type="checkbox"/>	Pair	
XFF090009	<input type="checkbox"/>	Crutch holder, loop	<i>(only in combination with tip assist)</i>

PREPARATION FOR ATTITUDE ADD-ON BIKE

XFF090211	<input type="checkbox"/>	without ATTITUDE order	<i>Please use & include Attitude OF</i>
XFF090212	<input type="radio"/>	with ATTITUDE order	<i>Please use & include Attitude OF</i>

EMPULSE F55 BUNDLING

EMO000101	<input type="radio"/>	With F55 order, not mounted to the wheelchair	<i>(Please use separate OF to order the F55. Not with Lightweight Compact brake)</i>
EMO000102	<input type="radio"/>	With F55 order, mounted to the wheelchair	<i>(Please use separate OF to order the F55. Not with Lightweight Compact brake)</i>

FORKS

(compare with your choice on the first page)

XFF080013	●	Castor fork, Carbotecture®	Colour: Black	
		Colour:	<input type="checkbox"/> Silver <input type="checkbox"/> Orange <input type="checkbox"/> Red (2) <input type="checkbox"/> Blue (2)	
XFF080029	○	Castor fork, Aluminium, 123mm	Colour: Black	
		Colour:	<input type="checkbox"/> Silver <input type="checkbox"/> Orange	
XFF080008	<input type="checkbox"/>	Castor fork, aluminium, one-arm	Colour: Black	
		Colour:	<input type="checkbox"/> Silver <input type="checkbox"/> Orange <input type="checkbox"/> Red <input type="checkbox"/> Blue	
XFF080007	<input type="checkbox"/>	Castor fork, aluminium, suspension (Frog Legs®), black		

CASTORS

(compare with your choice on the first page)

XFF080301	○	Castor, solid (hard), rim: composite, black	
XFF080302	○	Castor, solid (soft), rim: composite, black	<i>(only 5" & 6")</i>
XFF080303	<input type="checkbox"/>	Castor, solid (hard), light-up, rim: composite, black	<i>(only 4" & 5")</i>
XFF080304	<input type="checkbox"/>	Castor, solid (hard), rim: aluminium	Colour, rim: Silver <i>(only 4" & 5")</i>
XFF080306	<input type="checkbox"/>	Castor, solid (soft), rim: aluminium	Colour, rim: Silver <i>(only 4" & 5")</i>
		Colour, rim:	<input type="checkbox"/> Black <input type="checkbox"/> Orange <input type="checkbox"/> Red <input type="checkbox"/> Blue

- (1) *only with 0° wheel camber*
- (2) *only in combination with castor, soft (XFF080302 and XFF080306)*

For more information
visit our webpage
www.SunriseMedical.eu
© Sunrise Medical 2024



XFF010012 / 13
Open Frame



XFF090020 / 21
Hybrid frame



XFF090001
Tip assist



XFF090004
Anti-tip tubes, swing away



XFF090050
Anti-tip tubes, plug in, pair



XFF090010
Transit wheels

XENON² F55 BUNDLING - NOGO MATRIX FOR 24" REAR WHEELS

COG	Seat Depth							
	360	380	400	420	440	460	480	500
40	✓	✓	✓	✓	✓	✓	✓	✓
60	✗	✓	✓	✓	✓	✓	✓	✓
70	✗	✗	✓	✓	✓	✓	✓	✓
80	✗	✗	✓	✓	✓	✓	✓	✓
90	✗	✗	✗	✓	✓	✓	✓	✓
100	✗	✗	✗	✓	✓	✓	✓	✓
110	✗	✗	✗	✗	✓	✓	✓	✓
120	✗	✗	✗	✗	✓	✓	✓	✓
130	✗	✗	✗	✗	✗	✓	✓	✓

XENON² HYBRID F55 BUNDLING - NOGO MATRIX FOR 24" REAR WHEELS

COG	Seat Depth						
	380	400	420	440	460	480	500
40	✓	✓	✓	✓	✓	✓	✓
60	✗	✓	✓	✓	✓	✓	✓
70	✗	✗	✓	✓	✓	✓	✓
80	✗	✗	✓	✓	✓	✓	✓
90	✗	✗	✗	✓	✓	✓	✓
100	✗	✗	✗	✓	✓	✓	✓
110	✗	✗	✗	✗	✓	✓	✓
120	✗	✗	✗	✗	✓	✓	✓
130	✗	✗	✗	✗	✗	✓	✓

Xenon²

● = Standard ○ = No cost option □ = Cost option

Price in €

REAR WHEELS

(compare with your choice on the first page; choose only one wheel type)

XFF070000	<input type="radio"/>	Without rear wheel	
XFF070001	<input type="radio"/>	Rear wheel, Universal, 36 spokes (silver), cross-wise spokes	(only 24")
XFF070002	<input type="radio"/>	Rear wheel, Design, 36 spokes (silver), straight spokes	(only 24")
XFF070003	<input type="radio"/>	Rear wheel, Lightweight, 24 spokes (silver), straight spokes	(please see colour options on last page)
XFF070004	<input type="checkbox"/>	Rear wheel, Proton, 24 spokes (black), straight spokes	(user weight limit 100kg)
XFF070005	<input type="checkbox"/>	Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver	
XFF070007	<input type="checkbox"/>	Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub black	
XFF070008	<input type="checkbox"/>	Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes	(1) (only 24")
XFF070009	<input type="checkbox"/>	Rear wheel, Mountainbike, 36 spokes (silver), straight spokes	(only 24")
XFF070010	<input type="checkbox"/>	Mountainbike wheel, replacement kit incl. tyre (extra coarse profile)	(only 24")

Axle

XFF070150	<input checked="" type="checkbox"/>	Quick-release axle	
XFF070151	<input type="checkbox"/>	Quick-release axle, designed for quads	(2)

TYRES

(choose only one tyre type)

XFF070101	<input type="radio"/>	Tyre, pneumatic, fine profile, Schwalbe Right Run	(only 24")
XFF070102	<input type="radio"/>	Tyre, puncture proof, tread	
XFF070107	<input type="checkbox"/>	Tyre, pneumatic, slick, Schwalbe One	
XFF070104	<input type="checkbox"/>	Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution	
XFF090163	<input type="checkbox"/>	Spares-kit: 1 extra tyre (same as on the chair) and 1 extra inner tube	(not with solid tyres)

HANDRIMS

XFF070204	<input type="radio"/>	Handrims, stainless steel, silver	
XFF070202	<input type="radio"/>	Handrims, aluminium, anodised, silver	
XFF070201	<input type="radio"/>	Handrims, aluminium, powder-coated, clear	
XFF070203	<input type="checkbox"/>	Handrims, aluminium, powder-coated, coloured	(select colour on last page)
XFF070205	<input type="checkbox"/>	Handrims, titanium, untreated	
XFF070206	<input type="checkbox"/>	Handrims, titanium, powder-coated, clear	
XFF070207	<input type="checkbox"/>	Handrims, Supergrip®	
XFF070208	<input type="checkbox"/>	Handrims, Maxgrepp®	(only 24")
XFF070212	<input type="checkbox"/>	Handrims, Ellipse 3R, black	(ergonomic handrims with rubber-strip)

Hand rim mounting

XFF070307	<input type="checkbox"/>	Handrim mount, super narrow (7 mm)	(only with stainless steel)
XFF070317	<input checked="" type="checkbox"/>	Handrim mount, narrow (17 mm)	
XFF070327	<input type="radio"/>	Handrim mount, wide (27 mm)	

Handrim accessories

XFF070250	<input type="checkbox"/>	Handrim cover, rubber	(only 24")
-----------	--------------------------	-----------------------	------------

WHEEL CAMBER

(choose only one option)

XFF070600	<input type="radio"/>	0°	
XFF070602	<input type="radio"/>	2°	(not with Centre of Gravity Adapter, lightweight)
XFF070604	<input type="radio"/>	4°	(not with Centre of Gravity Adapter, lightweight)

SPOKE GUARDS

(only 24")

XFF070831	<input type="checkbox"/>	Transparent	
		XFF070813 <input type="checkbox"/> Galactica	
XFF070823	<input type="checkbox"/>	Princess	XFF070818 <input type="checkbox"/> Jungle Fever
XFF070816	<input type="checkbox"/>	Happy Lions	XFF070811 <input type="checkbox"/> Feather
XFF070819	<input type="checkbox"/>	Monkeys	XFF070821 <input type="checkbox"/> Pirates
XFF070820	<input type="checkbox"/>	Oriental	XFF070806 <input type="checkbox"/> Chrome
XFF070829	<input type="checkbox"/>	Superhero	XFF070814 <input type="checkbox"/> Graffiti
XFF070817	<input type="checkbox"/>	Hot Wheels	XFF070802 <input type="checkbox"/> Basketball XFF070803 <input type="checkbox"/> Basketball 2
XFF070822	<input type="checkbox"/>	Pool	XFF070812 <input type="checkbox"/> Flying Water
XFF070827	<input type="checkbox"/>	Silk	XFF070828 <input type="checkbox"/> Space
XFF070830	<input type="checkbox"/>	Tiger	XFF070833 <input type="checkbox"/> Zebra

(1) only with Adapter, standard and only with 0° & 4° camber; not with push handles, fold down & not without push handles.
 (2) not with Rear wheels Spinergy/ Mountainbike/ drum brakes

For more information
 visit our webpage
www.SunriseMedical.eu
 © Sunrise Medical 2024



XFF070001
Universal wheel



XFF070002
Design wheel



XFF070003
Lightweight wheel



XFF07000
Proton wheel



XFF07010
Mountainbike wheel



XFF070101
Schwalbe Right Run



XFF070107
Schwalbe One



XFF070104
Schwalbe Marathon Plus
Evolution



XFF070102
Tyre, puncture proof



XFF070202
Handrims aluminum,
anodized



XFF070203
Handrims aluminum,
powder coated, coloured



XFF070208
Handrims Maxgrepp



XFF070212
Handrims Ellipse 3R

Xenon²

● = Standard ○ = No cost option □ = Cost option

Price in €

WHEEL LOCKS

(choose only one option)

XFF060001	● Standard brake	
XFF060002	□ Knee-lever brake	
XFF060010	□ Brake lever extension, knee-lever brake, fold-down	
XFF060023	□ Compact brake EVO	
XFF060024	□ Lightweight compact brake EVO (1)	

ACCESSORIES

XFF090000	● Tool kit	
XFF090025	□ Air pump	
XFF090024	□ High pressure pump (0 - 11 bar)	
XFF090030	□ Back pack	
XFF090026	□ Mobile phone pocket	

COLOURS⁽²⁾

Please consult our colour catalogue to review your colour choice

	Frame	Handrim	Hub/rim	X-brace		Frame	Handrim	Hub/rim	X-brace
02 Brilliant Silver	○	□	□	□	27 Graphitemetallic	○	□	□	□
03 Silver Matt	□	□	□	□	29 Black	○	□	□	□
06 Sun Yellow	○	□	□	□	31 Matt Black	○	□	□	□
14 Blue	○	□	□	□	32 Signal White	○	□	□	□
15 Brilliant Marine	○	□	□	□	33 Pink	○	□	□	□
16 Matt Marine	□	□	□	□	34 Dark Chocolate Metallic	□	□	□	□
19 Brilliant Purple	○	□	□	□	35 Skyblue	□	□	□	□
21 Red Ruby	○	□	□	□	36 Cyan-Metallic	□	□	□	□
22 Brilliant Red	□	□	□	□	37 Marsred (Orange)	□	□	□	□
23 Matt Red	□	□	□	□	40 Kiwi	□	□	□	□
24 Tutti Frutti Orange	○	□	□	□	41 Flamingo-Glitter	□	□	□	□
					42 Matt-Anthracite	○	□	□	□
					46 Mamba Green (new)	□			
					Rear wheel, lightweight anodized, orange				□
					Rear wheel, lightweight anodized, blue				□
					Rear wheel, lightweight anodized, red				□

COLOURS - for stickers ("Xenon²" on the frame and "Quickie" on sideguard)

XFF100550	○ black	(Sticker "Quickie" on sideguard will be silver in combination with carbon sideguards)
XFF100551	○ silver	
XFF100552	○ orange	
XFF100553	○ red	
XFF100554	○ blue	

(1) not with Hybrid frame; not available with 4° camber; not with seat depth 340 mm; not for use with add on bikes; adjustment of CoG +/- approx. 25mm in the field

(2) Handrim: only with handrim colour powder coated; Hub/rim: only for universal wheel 24"

(3) only with 24" Lightweight wheel, Hub and rim anodized, black spokes

Comments for special build - please apply for a quote; lead time conditions may change.



Quickie Xenon² - Basic Price

Option price €
Packaging and transport €
Exclusive VAT €
VAT. €
Total Price €

Sunrise Medical Customer service
 Address: Kahlbachring 2-4, D-69254 Malsch/Heidelberg
 Tel. +497253 980-0
 Fax. +497253 980-222

E-mail: export@sunrisemedical.de
 Website: sunrisemedical.eu

For more information
 visit our webpage
www.SunriseMedical.eu
 © Sunrise Medical 2024



XFF060001
Standard brake



XFF060002
Knee lever brake



XFF060023
Compact brake EVO



XFF060024
Lightweight compact
brake EVO



XFF090000
Tool kit



XFF090024
High pressure pump



XFF090025
Air pump



XFF090030
Back pack



XFF090026
Mobile phone pocket